


Product range

Sheep · Goats · Game



FEEDING WITH SYSTEM

BERGOPHOR®

security components



An ideal combination of a rumen-protected and a rumen-available selenium compound to improve the availability and absorption of added selenium in the organism.

Rumen-protected sodium selenite

The rumen-protected sodium selenite passes the forestomachs undegraded and reaches the small intestine, the place of absorption. Selenium is released and absorbed.

An improved and efficient supply of selenium is the result. The rumen-available sodium selenite ensures optimum selenium supply of rumen flora.



A special combination of a rumen-protected and a rumen-available selenium compound included a highly effective organic selenium source in form of selenium yeast.

Highly effective selenium source

In selenium yeast the selenium is integrated into sulphur-containing amino acids. Thus selenium becomes highly usable and is resorbed easily and quickly. The protective functions of selenium (antioxidant, cell protection) take real effect. The selenium source is stored in the tissues and is set free increasingly with high metabolic performance.

- improvement of fertility, less complications after birth
- improved selenium provision of the unborn calf, less embryonic losses, higher resistance
- higher level of immunoglobulins in the colostrum, support of udder health
- strengthen the antioxidative and immune system



An individually synchronized combination of vital substances.

Macrominerals & trace elements

Highly available macrominerals (Ca, P, Mg, Na) and trace elements (Zn, Mn, Cu, Co I, Se) for low acid binding capacity and fast acidification of food in the stomach.

Vitamins

An optimized and highly effective vitamin provision strengthens the body defense and lowers the morbidity risk.

Rumen protected vitamin A





A specifically formulated vitamin A in rumen protected form for high yielding cows.


The special formulation of vitamin A is only slightly degraded in the rumen and thus is available for the metabolism of the dairy cow to a very high extent.




A specially designed security concept for rearing of lambs.

BERGOPHOR® has developed the **BERGOPHOR**  **MSS** for prevention of diarrheal diseases and for optimizing and stabilization of a healthy intestinal flora.


The **BERGOPHOR**  **MSS** aims on healthy animal and performance-linked rearing and best possible prevention of antibiotic usage.

The **BERGOPHOR**  **MSS** is based on many years of experience as well as the latest scientific findings and also meets the highest standards of quality and effectiveness.

The **BERGOPHOR**  **MSS** for lambs, according to our credo "Maximal safety for rearing", aims at

- an optimized nutrient and active ingredient supply
- the support of natural digestion
- the stabilization of healthy intestinal flora
- the strengthening of the body's own defenses
- high daily increases without growth dips
- best possible prevention of antibiotic use

Lambs are born without the body's defences. They receive first antibodies against various pathogens from the first milk, the so-called colostrum. To be protected against diseases, calves have to ingest colostrum as early as possible in a sufficient quantity.

The **BERGOPHOR**  **MSS** is specifically designed to strengthen the lambs' immune system and repel infectious agents. It was also developed to prevent diarrhea and to optimize and stabilize healthy intestinal flora.

QUALITY CERTIFICATES



pastus⁺
AMA-Gütesiegel

DIN EN ISO
9001:2015

Zertifiziertes
HACCP

Specialities

For the first care of lambs

BERGIN® Globulac L

item no. 0636

Trading unit:

Can 500 g

Colostrum replacer and admixture, in case the mother's colostrum is of bad quality or not sufficient. **BERGIN® Globulac L** protects lambs and goatlings reliably with a broad spectrum and a high concentration of antibodies. Thus natural development and the body's defences are supported. An ideal provision of vitamins, iron and selenium is ensured.

Special ingredients:

BERGOPHOR  **MSS**

Recommendations for use:

Sheep and goat lambs

Dissolve 50 g **BERGIN® Globulac L** in 100 ml warm water and administer with a dummy bottle as soon after birth as possible. Subsequently to **BERGIN® Globulac L** a drink with **BERGIN® Globulac L** replaces milk if missing.

Fawns

Fawns are solely fed with **BERGIN® Globulac L** until 3rd day of life. With a weight of 1,600 g fawns should be fed every 2 hours. From 4th day onwards, reduce **BERGIN® Globulac L** gradually (20 %) and change to **BERGIN® Globulac L**.



BERGIN® Lämmerfit

item no. 0489

Trading unit:

1 x disposable injector 24 ml

The „start help“ in a handy injector with dosing screw. Ideal for lambs and goatlings, important with twins or multiple birth and essential with weak lambs and mothers. High in immunoglobulins from egg powder and colostrum, to support passive defences. Contains organically bound iron and selenium as well as vitamins for strong immunity and growth. Prebiotic admixtures support the gut flora and prevent feed-related diarrhea. Dextrose, special fatty acids and lecithine provide highly available energy, special vitalize ingredients additionally activate the metabolism.

BERGIN® Lämmerfit – an important element to support development and growth of lambs.

Recommendations for use:

4 ml within first 3 hours of life, given into the mouth. With problematic lambs, give a dosis on 3rd and 7th day of life. With diarrhea give 1 - 2 times the daily dosis.



Milk replacer



BERGIN® Milch L

item no. 0490

Trading unit:

Bag 10 kg / 25 kg

Milk replacer for lambs and goatlings. With lack of milk, multiple birth or rearing without mother. **BERGIN® Milch L** can be fed directly after colostrum phase. With skimmed milk powder and high energy concentration for good acceptance and strong growth. The combination of vitamins and micronutrients supports the body's defences.

- 40 % skimmed milk powder
- high quality whey powder
- microfine fats
- combination of acids to suppress harmful germs
- targeted supplementation of five essential amino acids

Special ingredients:

BERGOPHORMSS

Recommendations for use:

Sheep lambs

200 g powder per litre of water

Goat lambs

150 g powder per litre of water

Stir with a whisk for preparation without lumps. **BERGIN® Milch L** is suitable for use in drinking automats and may only be fed to sheep and goat lambs up to the age of 6 months.

Special supplementary feed

Feed concentrate

BERGIN® Lämmerkraft

item no. 0442

Trading unit:

Bag 25 kg

Tasty feed concentrate, high in nutrients for rearing and fattening lambs as well as for lactating ewes. Contains expanded linseed and is high in omega-3 fatty acids. Those are important for healthy skin, bright fur, proper digestion and goot immunity.



Special ingredients:



Recommendations for use:

Rearing lambs

For feeding up to 500 g per animal and day.

Ewes/goats

Depending on the quality of the basic feed and the performance stage, up to 1 kg per animal and day.

Fattening lambs

Up to 1.5 kg per animal and day.

Feeding plan for lamb rearing

rearing (without mother) sheep & goats	week of life												
	1. - 2. day	3. - 7. day	2	3*	4	5	6	7	8	9	10	11	12
BERGIN® Milch L (l/day)	colostrum	0,5 - 1,0	1,5	2,0	2,5	2,5	2,5	2,0	1,5	1,0	-	-	-
BERGIN® Lämmerkraft (g/day)	-	-	20	50	100	150	200	250	300	400	500	600	700

fattening sheep & goats	week of life												
	1. - 2. day	3. - 7. day	2	3*	4	5	6	7	8	9	10	11	12
BERGIN® Milch L (l/day)	colostrum	1,0	1,0 - 1,5	2,0	2,5	2,5	2,5	2,0	1,5	1,0	-	-	-
BERGIN® Lämmerkraft (g/day)	-	-	20	50	100	200	300	400	500	600	800	1000	1200

* Within 1st / 2nd week of life feed 3 - 4 times per day, from 3rd week onwards feed twice a day.

Offer hay for free intake up to 400 g/day. From the 2nd week of life offer water for free intake. Wean from milk drink at a daily intake of feed concentrate of 300 g.

Specialities

For digestive disorders



BERGIN® Chrp-to-Pect

item no. 0598

Trading unit:

Bucket 7 kg

A dietary supplement for calves and lambs to stabilize the water and electrolyte balance to support physiological digestion. Contains specially processed apple and citrus pomace, psyllium husks, electrolytes, humic acids (Leonardite), carbohydrates and lactic acid bacteria.

- apple and citrus pomace, psyllium husks and humic acids form a gel film to protect the irritated intestinal mucosa
- lactic acid bacteria support the natural intestinal flora
- dextrose, potato starch and maltodextrin are highly available energy suppliers
- an optimized electrolyte combination consisting of sodium chloride, acetate and bicarbonate, potassium chloride and magnesium oxide stabilize the electrolyte balance and prevent overacidification of the blood

Special ingredients:

BERGOPHORMSS

Recommendations for use:

At risk of, during or after indigestion (diarrhea) for 1 - 7 days.

If there is a risk of mal digestion

1 time daily 5 - 10 g **BERGIN® Chrp-to-Pect** in the milk or stir in 1 liter of water.

In case of acute diarrhoea

2 times a day 5 - 10 g **BERGIN® Chrp-to-Pect** in the milk or stir in 1 liter of water.



BERGO®-Pect

item no. 0812

Trading unit:

Bucket 2.5 kg / 5 kg, Bag 10 kg

For feed-related and stress-induced digestive disorders.

To stabilise electrolyte and water metabolism. Stir **BERGO®-Pect** into milk during stressful situations, to prevent digestive disorders.

Special mineral feed

KULMIN® Schafe Vital

item no. 0418

Trading unit:

Bag 25 kg

Special mineral feed for breeding sheep (ewes, rams etc.) with high content of vitamin E, organically bound selenium (selenium yeast) and antioxidants. Due to the addition of Vitamin E in combination with sufficient selenium, the immune system is strengthened. Fertility and udder health are influenced positively. Selenium provision via basal feed is often insufficient, especially in selenium shortage regions, but also due to wide-spread extensive livestock husbandry.

Special ingredients:



SECUSEP_{plus}

Recommendations for use:

up to 25 g per animal and day
or respectively with 1.0 % in daily ration (dry matter)



KULMIN® Schafe

item no. 0422

Trading unit:

Bag 25 kg

Special mineral feed to supplement farm-made feed. Provides high-value minerals, micronutrients and vitamins for a balanced diet. A combination of rumen-protected and available selenium supports immunity and fertility. Zinc boosts stable claws.

Special ingredients:



-vital substances

SECUSE_{uo}

Recommendations for use:

up to 25 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)



Special mineral feed

Licking material for self-supply



KULMIN® SZW


item no. 0456

Trading unit:

Bowl 10 kg, Bucker 25 kg

Licking material for sheep with optimal dosage of minerals, micronutrients and vitamins A, D₃ and E. Contains a combination of rumen-protected and available selenium to support immunity and fertility. Zinc boosts stable claws. Especially tasty by the use of an admixture of molasses and apple pomace.

Special ingredients:

 - vital substances

Recommendations for use:

25 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)



KULMIN® SZW-K

item no. 0536

Trading unit:

Bucker 25 kg

Licking material for sheep with optimal dosage of minerals, micronutrients and vitamins A, D₃ and E. Contains a combination of rumen-protected and available selenium to support immunity and fertility. Zinc boosts stable claws. Equipped with a highly active garlic concentrate to support the fly defense. Essential oils and the resulting smell of garlic help keep annoying flies, mosquitoes and brakes away from the animals. With tasty molasses and organic components for better feed intake.


Only available seasonally: February - September



Please mind:

Do not feed to milk producing animals.
The milk can take on the taste of garlic.

Special ingredients:

 - vital substances

Recommendations for use:

25 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)

Special supplementary feed

BERGIN® LEINEX Plus

item no. 0171

Trading unit:

Bag 25 kg, BigBag 500 kg / 750 kg

Special supplementary feed for sheep and goat with extracted linseed, high in omega-3 fatty acids. Health, performance and fertility can be influenced lastingly by the composition of the diet. Omega-3 fatty acids are an important component in connection with this.

BERGIN® LEINEX Plus contains hydrothermally expanded, extruded linseed with especially good digestibility. The omega-3 fatty acids from linseed oil are available in protected and highly available form.

Additionally fermentable fibre and special mucilages support digestion and have dietary effect. Nutrient-rich waffle meal expanded grain provide energy e. g. for ewes and goats at the beginning of lactation.



Recommendations for use:

sheep and goats
50 - 250 g per animal and day

BERGOVIT Super

item no. 0419

Trading unit:

Bag 10 kg / 25 kg

Supplementary feed for additional, short-term provision of vitamins. E. g. with fertility problems, weakness, after diseases or in stressful situations. Powder for application via feed.

Special ingredients:



Recommendations for use:

Sheep

4 weeks and 3 days before lambing and
3 days before mating

60 g per animal and day

Lambs

1 x per month over 5 days

10 g per animal and day

Not suitable for fattening animals!



ECO special mineral feed



KULMIN® SZ Mineral-OLB


item no. 0391

Trading unit:

Bag 25 kg

Special mineral feed provides high-value minerals, micronutrients and vitamins for a balanced diet.

Special ingredients:

 - vital substances

Recommendations for use:

up to 25 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)



KULMIN® SZ Mineral-OLB is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 2018/848 and 2021/1165. Certified by QAL GmbH DE-ÖKO-060, and manufactured according to the requirements of Bioland e. V. Listed on the list of organic farming products in Germany.



KULMIN® SALZLECKSTEIN OLB

item no. 6026

Trading unit:

Stone 10 kg

Salt lick with iodine for free intake. For additional provision with sodium chloride and iodine in stables and on pasture.



KULMIN® SALZLECKSTEIN OLB is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 2018/848 and 2021/1165. Certified by QAL GmbH DE-ÖKO-039. Listed on the list of organic farming products in Germany.



KULMIN® MINERALLECKSTEIN OLB item no. 0326

Trading unit:

Stone 10 kg

Salt lick, which contains besides sodium chloride also calcium, magnesium and the micronutrients Manganese, zinc, iron, iodine and selenium.

Advice: For game place mineral lick on the soil and pour water over it. Animals will lick the mineral covered soil.



KULMIN® MINERALLECKSTEIN OLB is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 2018/848 and 2021/1165. Certified by QAL GmbH DE-ÖKO-039. Listed on the list of organic farming products in Germany.

ECO special mineral feed

Licking material for self-supply

KULMIN® SZH-OLB


item no. 0390

Trading unit:

Bowl 10 kg, Bucket 25 kg

Special mineral feed for sheep, goats and game with vitamins A, D₃ and E, minerals, trace elements and selenium in optimal dosage to optimize fertility and immune defense.

Special ingredients:

 - vital substances

Recommendations for use:

25 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)



KULMIN® SZH-OLB is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 834/2007 and (EC) No. 889/2008. Certified by QAL GmbH DE-ÖKO-060, and manufactured according to the requirements of Bioland e.V.



KULMIN® SZH-OLB-K

item no. 0537

Trading unit:

Bucket 25 kg


Special mineral feed for sheep, goats and game with vitamins A, D₃ and E, minerals, trace elements and selenium. Equipped with a highly active garlic concentrate to support the fly defense. Essential oils and the resulting smell of garlic help keep annoying flies, mosquitoes and brakes away from the animals. With tasty molasses and organic components for better feed intake.

Only available seasonally: February - September

Please mind:

Do not feed to milk producing animals.
The milk can take on the taste of garlic.

Special ingredients:

 - vital substances

Recommendations for use:

25 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)



KULMIN® SZH-OLB-K is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 834/2007 and (EC) No. 889/2008. Certified by QAL GmbH DE-ÖKO-060, and manufactured according to the requirements of Bioland e.V.



ECO special supplementary feed



fly defense with
lemongrass



KULMIN® SZH-OLB-ZG

item no. 0554


Trading unit:

Bucket 25 kg

Special mineral feed with lemon grass in a lick bucket for sheep, goats and game in stable or on pasture. With vitamins A, D₃ and E, trace elements and selenium. For the natural defence against flies. Lemon grass contains essential oils such as citral and myrcene. These essential oils are natural repellents that are perceived by flies and stinging insects via the sense of smell and have a deterrent effect.

Only available seasonally: February - September

Special ingredients:

 - vital substances

Recommendations for use:

30 g per animal and day
or respectively with 1.2 % in daily ration (dry matter)



KULMIN® SZH-OLB-ZG is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 2018/848 and 2021/1165. Certified by QAL GmbH DE-ÖKO-060, and manufactured according to the requirements of Bioland e. V. Listed on the list of organic farming products in Germany.



BERGIN® LEINEX Plus-OLB

item no. 0214

Trading unit:

Bag 25 kg

Special supplementary feed for different animal species. With extruded linseed, locust bean whole and omega-3 fatty acids. Provides easily digestible energy and contains additional vitamin E.

Recommendations for use:

50 - 250 g per animal and day



BERGIN® LEINEX Plus-OLB is suitable for ecologic production of agricultural products of animal origin according to EU Eco Regulation (EC) No. 2018/848 and 2021/1165. Certified by QAL GmbH DE-ÖKO-060. Listed on the list of organic farming products in Germany.

Stable hygiene

BERGO CuraDes plus®

item no. 6006

Trading unit:

Bag 25 kg, BigBag 400 kg / 1.000 kg

Hygiene for dispersion – naturally livestock-friendly

- increases the pH value and reduces up to 99 % of the germs when used permanently – walking and lying areas, as well as litter, dry quickly
- it removes the optimal reproduction conditions for flies and other pests, reduces the amount of flies and reduces ammonia emissions
- it can also be used as a dry hoof bath as it dries hoofs down into the core and hardens the horn - the healing process for hoof diseases can be supported
- listed in the list of resources for organic farming in Germany and in the InfoXgen catalog of resources for organic agriculture in Austria
- is a biocidal agent and serves as a spreadable powder for the hygienic improvement in the veterinary field (HG1-PA3),
BAuA Reg.-No.: N-38286

Very skin-friendly due to a pug-zinc-complex and permanently applicable – dermatologically tested:

BERGO CuraDes plus® was tested on human skin compatibility by **dermatest® GmbH** in Münster. There were no indications for skin-intolerance.

BERGO CuraDes plus® was tested on skin compatibility by Animal Health Service Bavaria. After daily application for 4 weeks there were no changes and intolerances were observed at the skin of udder and teat from cows.

BERGO CuraDes plus® was tested on skin compatibility by Swine Health Service Lower Saxony. No changes in skin or skin-intolerances of sows and piglets were observed.

Use biocides safely. Always read markings and product information before use!



Skin care & cleaning



BERGO® Blau-Spray

item no. 6201

Trading unit:

Spray bottle 200 ml

An intense blue coloring spray for the protection and care of sensitive skin areas, hooves and claws. Protects and cares for heavily stressed and sensitive skin areas such as in the ankle bend, between the claw areas or lying lesions. The skin's ability to retain moisture is increased, and the skin's suppleness and elasticity are restored.



BERGOPHOR® Handwaschpaste (hand cleaner)

item no. 0728

Trading unit:

Can 1 l, Bucket 5 l

Dermatologically tested hand cleanser. It is extremely skin-friendly, slightly acidic and alkali-free. Preserves the protective acid mantle of the skin, cleans thoroughly, but is still economical in consumption. Without sand = no clogged pipes!



BERGOPHOR® Universalseife (universal soap)

item no. 0813

Trading unit:

Tube 250 ml, Bucket 5 kg / 10 kg

The neutral delicate fabric washing, rinsing and cleaning soap, economical and powerful cleaning, gentle on materials, is mild for hands. Free of phosphates!



BERGOPHOR® Wasch-Aktiv

item no. 0601

Trading unit:

Bag 20 kg

The duty detergent in premium quality for delicate fabrics, colored fabrics and laundry that needs to be boiled (30 - 95 °C). Protects the fibers and ensures sparkling cleanliness and pleasant smell.

Disinfectants

BERGO® OxyDes

item no. 6050

Trading unit:

Canister 24 kg

For disinfection of stables and surfaces in animal husbandry, based on peracetic acid in combination with hydrogen peroxide and acetic acid. Effective against non-enveloped and enveloped viruses, fungi, spores and bacteria. Fast and reliable effect, even by lower temperatures.

Recommendations for use:

Disinfection of areas, livestock facilities and materials

Thoroughly clean the surfaces to be treated before disinfecting and allow to dry. Apply 1 % solution (10 g/l water) of 0.4 l/m² to the treatment area. Exposure time: 1 hour

Use biocides safely. Always read markings and product information before use!



BERGODES komplett

item no. 0624

Trading unit:

Canister 5 kg

Special surface disinfectant with wide range of effect for the control of excreted endoparasites in stables. Effective against worm eggs, coccidian oocysts, cryptosporidia and tuberculosis

Recommendations for use:

Application concentration against

Application rate

Helminth eggs	2 % - 2 h	0.4 l use solution per m ² . Before disinfection thorough cleaning and drying of the area.
Coccidia	4 % - 2 h	
TB	6 % - 2 h	
Cryptosporidia	4 % - 2 h	
Protozoa	4 % - 2 h	
Bacteria	2 % - 2 h	
Coated viruses	2 % - 2 h	

Use biocides safely. Always read markings and product information before use!



Equipment



Lämmertränkeflasche (lamb drinking bottle)

item no. 0697

Amount:

1 Piece

For administering **BERGIN® Globulac L** (item no. 0636) or for hand-rearing.



Tränkeimer (complete)

item no. 0655

Amount:

1 Piece

Feeding bucket (plastic) seizes 8 litres milk replacer. Completely equipped with valve, sucker and wall holder (without cover).



Deckel Tränkeimer

item no. 6056

Amount:

1 Piece

Cover for feeding bucket.



Lämmer-Sauger (lamb sucker - without sucker)

item no. 0669

Amount:

1 Piece

Correct position of the crossed slot makes suckling easier for lambs. This is especially important with learning and extends durability of the sucker!

Wandhalterung

item no. 0630

Amount:**1 Piece**

Wall holder for feeding bucket.

**Eimer-Ventil**

item no. 0642

Amount:**1 Piece**

Bucket valve without sucker.

**Schneebesen (whisk)**

item no. 0887

Amount:**1 Piece****BERGO® Schaumkanone (foam cannon)**

item no. 0709

Amount:**1 Piece**

Disinfection gun with foam application for easy handling, mobility and for accurate, user-friendly application of surface disinfectants.



Pest control



BERGO® SicoCare

item no. 0741

Trading unit:

Bucket 1.5 kg, Bag 10 kg

The animal and environmentally friendly pesticide against creeping and crawling insects in grain storages and stables.

- against grain pests in stock
- against red mite in laying hen houses
- against grain mold beetles in poultry houses
- against cockroaches in pig stables

Pest insects which got in contact with **BERGO® SicoCare** (by direct contact during application or later traversing), initially show a disturbed ingesting and oviposition behavior. Due to the moisture absorbing effect the body of the insects dries and they die within a few days. **BERGO® SicoCare** is made of 100 % amorphous (i.e. crystalline free) silica. Thus, it is not harmful to humans and animals.

Recommendations for use:

Switch off ventilation during application.

Feed stock

Fine spreading of 10 - 30 g **BERGO® SicoCare** per m² in the clean and dry feed stock (use **BERGO® Zerstäuber-Set K** with a pressure of 2 - 5 bar). Cover the ground with a layer of 1 - 2 mm. Cover also walls, cavities, roof beams etc!

Combating red bird mite in laying hen stables

Muck out, clean and dry stables before application. For initial treatment repeat application weekly for 6 - 8 times. After that repeat application in an interval of 4 - 6 weeks.

Free run / aviary

Uniform distribution of 10 kg **BERGO® SicoCare** per 10.000 hens (10 - 20 g per 10 hens) or spreading with the **BERGO® Zerstäuber-Set K** with a pressure of 2 - 5 bar (particularly laying nests).

Combating cockroaches, fleas, ants etc. in stables

Cover the ground with an uniform layer of 1 - 2 mm of **BERGO® SicoCare**. Cover also walls, cavities, chinks etc.

Use biocides safely. Always read markings and product information before use!

BERGO® Handzerstäuber

item no. 0739

Amount:**1 Piece**

For **BERGO® SicoCare** for easy dusting of laying nests and small stables.

**BERGO® Zerstäuber-Set K**

item no. 0738

Amount:**1 Piece**

For **BERGO® SicoCare**. Consists of a blowing and suction gun, 1 m pipe and different nozzle attachments to dust large areas or small cavities. Is connected to the compressor. Easy handling!

**BERGO® Madenkiller Plus**

item no. 6061

Trading unit:**Bucket 500 g / 3 kg**

Insecticide against fly maggots, rat tailed maggot and grain mold beetles. Inhibits the development of larvae to mature insects in pig, cattle, poultry, sheep and horse stables.

The life cycle of the insects is interrupted, so that the continuous replenishment of flies does not occur. Suitable for all stable and manure storage systems (liquid, solid and dry manure).

An active ingredient combination of 3 substances, for even more success against fly maggots. The active ingredient combination also inhibits the development of mud fly larvae (rat tail maggot) and of larvae of the grain mold beetle. The application takes place directly on manure, bedding or liquid manure surfaces. Slatted floors are treated superficially, so that the agent can flow in the slurry channels.

Use biocides safely. Always read markings and product information before use!



Fly control



BERGO® Fly EC

item no. 0715

Trading unit:

Bottle 250 ml

The water-dilutable emulsion concentrate with immediate and long-term action to combat flies, cockroaches and fleas. Alternative pest control with natural and reproductive agents (pyriproxyfen, pyrethrine, piperonyl butoxide).

Use biocides safely. Always read markings and product information before use!



BERGO® SuperFly

item no. 0721

Trading unit:

Canister 2.5 l

An application-ready insect spray with biological active component. The use of the active ingredients piperonylbutoxid and pyrethrine has long been known. Fast immediate effect and long-term effect up to several weeks. Universally applicable.

Use biocides safely. Always read markings and product information before use!



BERGO® Fly Pumpspray

item no. 0730

Trading unit:

Bottle 1 l (incl. pump)

A ready-to-spray, solvent-free insecticide with high immediate effect for use in the home, in smaller stables or the like. Works against flies, mosquitoes, ants, silverfish etc.

It can be used for direct control and room treatment. For application, a hand spray pump is screwed onto the bottle.

Active ingredients: Geraniol, Permethrin

Use biocides safely. Always read markings and product information before use!

BERGOPHOR® Fliegenex (fly ex)

item no. 0830

Trading unit:**Can 400 g**

A granule for fly control in pig, cattle, poultry, sheep and horse stables. Attracts flies and kills them immediately. **BERGOPHOR® Fliegenex** is suitable as scatter bait, painting agent or spray.

Scatter bait

The granule is placed on flat dishes (e.g. bucket lid). For better efficiency, it may be moistened with a little bit of sugared water or milk.

Spraying agent with backpack sprayer

Mix the granule with water and spray it on the flies preferred locations.

Painting agent

Dissolve **BERGOPHOR® Fliegenex** in lukewarm sugared water. Paint this mixture on the flies preferred locations or attach painted panels or paper sacks on this places.

Active ingredients: Azamethiphos



Use biocides safely. Always read markings and product information before use!

BERGOPHOR® Fliegenrolle (fly reel)

item no. 0818

Amount:**1 Piece (length = 10 m)**

The non-toxic special glue roll for environmentally friendly fly control in pig, cattle, poultry, sheep and horse stables. The **BERGOPHOR® Fliegenrolle** is equipped with special pheromone attractant. Together with the fly-friendly printing of the roll, an effective and powerful attraction is achieved. The attachment is vertical or horizontal. Easy installation with supplied bracket.



According to regulation (EC) 2018/848 and annex I of regulation (EC) 2021/1165, the use of traps with pheromones for pest control in the organic production is permitted.



Fly control



FlyGold ULTRA

item no. 6005

Trading unit:

Can 350 g, Bucket 2 kg

The lure granulate against stable & house flies. The initial treatment should take place at the beginning of the fly season, in order to prevent mass propagation. **FlyGold ULTRA** can be used as scatter bait or as painting agent against houseflies (*Musca domestica*) and fruit flies (*Drosophila* spp.). Active ingredient: Imidacloprid.

Scatter bait

Place vessels with **FlyGold ULTRA** granule in places where flies prefer to stay (e.g. grates, posts, window benches, etc.). Moisten **FlyGold ULTRA** granules. Draughty and dusty places are not suitable! Post-treatment after 4 to 8 weeks.

Painting agent

Dissolve **FlyGold ULTRA** in luke-warm water and apply many small brush strokes to the flies preferred locations. Weekly spraying with water "refreshes" the brushstrokes and preserves their effectiveness.

Use biocides safely. Always read markings and product information before use!



terrasan® Home Fliegen-Fensterstreifen

item no. 0599

Amount:

1 Pack (2 panels = 6 stripes)

The odorless, transparent flytrap for all window frames inside apartments. Flies are killed quickly by intake of the bait mass and don't stick to the stripes. The window strip is fixed at the lower window frame and can be removed without trace. Not designated for moist rooms.

Use biocides safely. Always read markings and product information before use!



BERGOPHOR® Fliegenfalle

item no. 0840

Amount:

1 Pack (6 traps)

The non-toxic fly trap for environmentally friendly fly control in pigs, cattle, poultry, sheep and horse stables. The 80 cm long and 35 cm high trap with particularly durable special glue is sufficient for 5.500 flies. Do not hang fly traps in draught! 6 traps for approx. 180 m² of floor space.



The non-toxic **BERGOPHOR® Fliegenfalle** may be used in organic production.

Rat control

BERGO® Rattentod (rats death)

item no. 0833

Trading unit:

Bucket 3 kg (15 bags á 200 g)

A ready-to-use bait for rats and mice control. The bait contains high quality plant based raw materials, such as oatmeal and wheat, which are adapted to the feeding behavior of rodents. The high attractiveness of the bait ensures the successful rat control. The active ingredient Difenacoum inhibits blood clotting. This causing internal bleeding in which rats and mice die from a fatal condition within 4 to 10 days after ingestion of the bait. The conspecifics are not warned by the normal looking death and eat **BERGO® Rattentod** until the entire infestation is eradicated. A 1 - 2 times intake of the bait is enough to secure killing. Ready to use and always fresh by practical portion packaging.

Active ingredient: Difenacoum

Use biocides safely. Always read markings and product information before use!



Rodilon® Paste

item no. 6013

Trading unit:

Bucket 3 kg (300 baits á 10 g)

A paste bait for rats and mice control. A single intake is sufficient for a safe effect (death occurs delayed after about 3 - 5 days). There are no known resistances. Each bait bar is individually packaged and laid out with the paper wrapper. On the bait are traces of feeding activity easily recognizable. The **Rodilon® Paste** is insensitive to moisture and very resistant to spoilage, so it can be attached to a wire in the manure channel in the running area of the rats. A special bitter substance prevents accidental ingestion by children and pets.

Active ingredient: Difethialon

Use biocides safely. Always read markings and product information before use!



Rat control



Racumin® Schaum

item no. 6043

Trading unit:

Spray can 0.5 l

A soft, sticky adhesive foam that is ideal for use as an additional measure for rat control with bait. Designed for use in passageways / holes / corridors of rats and mice. The foam adheres to the fur of the animals when passing through (forced application), then it is ingested through fur and paw care.

Racumin® Schaum offers an excellent supplementation especially in case of refusal of bait or bait-shy animals. A special bitter substance prevents accidental ingestion by children and pets.

Active ingredient: Coumatetralyl

Use biocides safely. Always read markings and product information before use!



BERGO® Rattendepotbox (deposit box)

item no. 0834

Amount:

1 Piece

Rat baits must always be covered in accordance with the rules of cross-compliance. The **BERGO® Rattendepotbox** is lockable (protects children and pets) and can be used to lay out bait blocks, pastes and cereal baits.



Livestock-friendly concepts.
Healthy growth.
Ecological responsibility.
Economic success.



FEEDING WITH SYSTEM

Bergophor Futtermittelfabrik

Kronacher Straße 13 · D-95326 Kulmbach · ☎ +49 9221 806-0 · 🖨 +49 9221 806-188

www.bergophor.de ·   